

ANALYTICAL REPORT

Job Number: 420-208536-5 SDG Number: Warring School (War) Job Description: Poughkeepsie City School

> For: Poughkeepsie City Schools 18 S Perry St Poughkeepsie, NY 12601

Attention: Susan Stevens

Mary Hernandez Customer Service Manager reports@envirotestlaboratories.com 10/22/2021

cc: Ms. Renee Cusack

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at EnvirotestLaboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOPH PH-0554



METHOD SUMMARY

Client: Poughkeepsie City Schools

Job Number: 420-208536-5 SDG Number: Warring School (War)

Description	Lab Location	Method Preparation Me	thod
Matrix: Water			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest	EPA 200.7/200.8	
Lab References:			
EnvTest = EnviroTest			

Method References:

EPA = US Environmental Protection Agency

Client Sample ID: Lab Sample ID:	WAR 1st FI WF 1 420-208536-52		Date	Sampled: Received: t Matrix:	10/05/2021 0448 10/08/2021 1610 Drinking Water	
Analyte		Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev. Prep Method: 200.7 Lead	5.4 /200.8	1.1	Date An Date Pre ug/L		10/14/2021 1550 10/13/2021 1407 1.0	1.0

Client Sample ID: Lab Sample ID:	WAR 1st FI WF 2 420-208536-53		Date	Sampled: Received: t Matrix:	10/05/2021 0450 10/08/2021 1610 Drinking Water	
Analyte		Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev. Prep Method: 200.7/ Lead		<1.0	Date Ana Date Pre ug/L	5	10/14/2021 1552 10/13/2021 1407 1.0	1.0

Client Sample ID: Lab Sample ID:	WAR 2nd Fl WF 420-208536-54		Date	Sampled: Received: t Matrix:	10/05/2021 0453 10/08/2021 1610 Drinking Water	
Analyte		Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev. Prep Method: 200.7/ Lead	••••	<1.0	Date Ana Date Pre ug/L	,	10/14/2021 1554 10/13/2021 1407 1.0	1.0

Client Sample ID: Lab Sample ID:	WAR Basement WF 420-208536-55		Date	Sampled: Received: t Matrix:	10/05/2021 0505 10/08/2021 1610 Drinking Water	
Analyte		Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev. Prep Method: 200.7 Lead	5.4 /200.8	<1.0	Date An Date Pre ug/L	,	10/14/2021 1556 10/13/2021 1407 1.0	1.0

Client Sample ID: Lab Sample ID:	WAR Kitchen Sink 1 420-208536-56		Date	Sampled: Received: t Matrix:	10/05/2021 0509 10/08/2021 1610 Drinking Water	
Analyte		Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev. Prep Method: 200.7	5.4 /200.8		Date An Date Pre	,	10/14/2021 1605 10/13/2021 1407	
Lead		1.7	ug/L	1.0	1.0	1.0

Client Sample ID: Lab Sample ID:	WAR Kitchen Sink 2 420-208536-57		Date	Sampled: Received: t Matrix:	10/05/2021 0510 10/08/2021 1610 Drinking Water	
Analyte		Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev. Prep Method: 200.7	5.4 /200.8		Date An Date Pre	,	10/14/2021 1607 10/13/2021 1407	
Lead		<1.0	ug/L	1.0	1.0	1.0

DATA REPORTING QUALIFIERS

Lab Section

Qualifier

Description

The following analytes are Not Part of the ELAP scope of accreditation:

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide, Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

The following analytes are Not Part of ELAP Potable Water scope of accreditation

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Settable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluoranthene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

The following analytes are Not Part of ELAP Non Potable Water scope of accreditation

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points

CHAIN OF CUSTODY

REPORT# (Lab Use Only)

ab Name	EnviroTest Laboratories	NYS DOH LAB # 10142	NJDEP LAB # NY105	CT DOPH# PH-0554
ab Address	315 Fullerton Avenue,	Newburgh, NY 12550 Phor	ie (845) 562-0890	

536-5 à

Field Office Address 312 Titusville Rd, Poughkeepsie, NY 12603

EnviroTest

Laboratories

Field Office Phone (845) 229-6536

IMPORTANT NOTE: All services performed by Envirotest Laboratories LLC are subject to our Terms & Conditions available at http://www.envirotestlabs.com/terms* Any Rush TAT must be approved in advance by lab***

CLIENT NAME FOLGNACEPSIE CITY SCHOOLS	MATRIX TYPE	REQUIRED Containers	PAGE of		
CLIENT ADDRESS 18 SO. PEYTY St. POUGHBEEPSIE, NY 13601	COMPOSITE (C) OR GRAB (G) <i>INDICATE</i> AQUEOUS (WATER) D (Drinking Water) or W (Waste Water) <i>Indicate</i> SOLID OR SEMISOLID Chlorine Residual	State of the second secon	TURNAROUND TIME (Biz Days) NON-TESTING CHARGES		
(845)451-4996 Rodriguer,	(C) OR GRAB (G) <i>INDICATE</i> (ATER) ater) or W (Waste Water) <i>Ind</i> MISOLID dual	total # of Containers 40 mL 40 mL 40 mL 40 mL Vials HCL 250 mL Plastic Sulturic Acid 250 mL Startie Sulture Acid	NORMAL P/U SAMP		
email (to send report) mrodungueze co Poughtiepseschools org 020365	or W (M	Total # of Contai 40 mL 40 mL 40 mL Vials HCL 200 mL Vials Suffuric 250 mL Plastic Suffuric Aci 250 mL Plastic Suffuric Aci 250 mL Plastic Suffuric Aci 250 mL Plastic Sodium Hy 250 mL Plastic Sodium Thi 125 mL Sterile Sodium Thi 125 mL Sterile Sodium Thi 125 mL Sterile Sodium Thi 120 mer:	RUSH (Y/N) GRAB COMP		
PROJECT LOCTION	E (C) O Water) SEMISC sidual	Total # of 40 mL 40 mL 40 mL Vials HCL 50 mL Plastic Nitri 250 mL Plastic Sulturic 250 mL Plastic Sold 250 Amber Sulturic 250 Amber Sulturic 250 Amber HCl 116r Amber HCl 125 mL Sterile Sold 125 mL Sterile Sold	RUSH (# Biz Days) REPORTING		
warring school (war)	COMPOSITE (C) OR GI AQUEOUS (WATER) D (Drinking Water) or W SOLID OR SEMISOLID Chlorine Residual	40 mL 40mL V 40mL V 250mL F 250mL F 250mL I 250 mL Liter Am Liter Am Liter Am Liter Am Liter Am Liter Am	#OF COOLERS OTHER		
SAMPLE SAMPLE IDENTIFICATION		NUMBER OF CONTAINERS SUBMITTED	Analysis Requested		
10/5/21 4.48 m 15+F1 W.F 1	60		Lead		
DBR 450 Hm 15+F1. WIF 2	GD		Lead		
10/6/21 4 53 An 3nd FI W.F	GD		Lead		
10/5/21 505 Basement W.F	GD		Lead		
10/5/21 509 Kitchen Sink 2	GD		Lead		
1015/21 SIDAM Kitch on Sink 2	GD		lead		
NOTES:					
RELINQUISHED BY GRAD CHINQUEC, EMPANY SCHOOLS DATE 10/8/21	TIME 12:15	RECEIVED BY: (Print) COMPANY	DATE /0.8.21 /TIME /2/7		
RELINQUISHED BY: (Print) COMPANY DATE	TIME 30	RECEIVED BY: (Bfint) COMPANY			
	TIME	RECEIVED BY: (Print) COMPANY	DATE TIME 1630		
Mito Bir 10 18:21	1610				
RECEIVED FOR ETL BY: (Pdat)		ETL REMARKS: ICE (Y X) pH/Preservation Check			

LOGIN SAMPLE RECEIPT CHECK LIST

Client: Poughkeepsie City Schools

Job Number: 420-208536-5 SDG Number: Warring School (War)

Login Number: 208536

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is recorded.	True	2.1C
Cooler Temp. is within method specified range.(0-4 C PW, 0-6 C NPW, or BAC <10 C $$	True	
If false, was sample received on ice within 6 hours of collection.	NA	
Based on above criteria cooler temperature is acceptable.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	